



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
AND CITIES OF THE UNITED STATES (untabulated).**

CALIFORNIA—*San Diego*.—Month of April, 1910. Population, 45,000. Total number of deaths from all causes 55, including tuberculosis 7. Cases reported: Measles 11, diphtheria 2, tuberculosis 1.

COLORADO.—Three months ended March 31, 1910. Population, 539,700. Total number of deaths from all causes 2,804, including typhoid fever 33, smallpox 1, measles 13, scarlet fever 36, diphtheria 48, tuberculosis 475. Cases reported: Typhoid fever 232, smallpox 393, scarlet fever 575, diphtheria 292.

CONNECTICUT.—Month of April, 1910. Population, 1,053,350. Total number of deaths from all causes 1,499, including typhoid fever 6, measles 8, scarlet fever 16, diphtheria 16, tuberculosis (pulmonary) 149. Cases reported: Typhoid fever 22 cases in 12 towns, measles 353 in 58 towns, scarlet fever 431 in 56 towns, diphtheria 153 in 42 towns, tuberculosis (pulmonary) 155 in 40 towns.

FLORIDA—*Tampa*.—Month of April, 1910. Population, 15,839. Total number of deaths from all causes 58, including tuberculosis 8. Cases reported: Typhoid fever 2, measles 4, scarlet fever 2, diphtheria 7, tuberculosis 2.

IOWA—*Davenport*.—Month of April, 1910. Population, 42,000. Total number of deaths from all causes 27. Cases reported: Smallpox 2, scarlet fever 6, diphtheria 17.

KENTUCKY—*Louisville*.—Month of April, 1910. Population, 204,700. Total number of deaths from all causes 341, including typhoid fever 1, scarlet fever 7, diphtheria 2, tuberculosis 47. Cases reported: Typhoid fever 8, scarlet fever 47, diphtheria 16.

LOUISIANA—*Shreveport*.—Month of April, 1910. Population, 30,000. Total number of deaths from all causes 56 (resident 32, nonresident 24), including typhoid fever 5, tuberculosis 14 (resident 9, nonresident 4).

MAINE—*Portland*.—Month of April, 1910. Population, 62,000. Total number of deaths from all causes 89, including typhoid fever 1, tuberculosis 12. Cases reported: Typhoid fever 9, scarlet fever 12, diphtheria 7.

MARYLAND.—Month of March, 1910. Population, 1,190,050. Total number of deaths from all causes 828, including typhoid fever 15, measles 6, scarlet fever 2, diphtheria 10, tuberculosis 99. Cases reported: Typhoid fever 77, measles 168, scarlet fever 73, diphtheria 27. The typhoid fever cases were distributed as follows: Potomac River watershed 35 cases, Patapsco River watershed 17, Patuxent River watershed 2 cases, Herring Run watershed 1 case, Gunpowder River watershed 1 case.

MASSACHUSETTS—*Somerville*.—Year 1909. Population, 75,500. Total number of deaths from all causes 988, including typhoid fever 8, measles 3, scarlet fever 9, diphtheria 27, tuberculosis 90. Cases reported: Typhoid fever 99, smallpox 1, scarlet fever 320, diphtheria 334.

OKLAHOMA.—Month of March, 1910. Population, 398,331. Total number of deaths from all causes 1,072, including typhoid fever 16, smallpox 24, scarlet fever 13, diphtheria 14, tuberculosis 82. Cases reported: Typhoid fever 155, smallpox 390, scarlet fever 90, diphtheria 109.

VIRGINIA—*Charlottesville*.—Month of April, 1910. Population, 6,449. Total number of deaths from all causes 6, including tuberculosis 1. Cases reported: Typhoid fever 5, tuberculosis 3.

Richmond.—Month of March, 1910. Population, 117,318 (white, 74,227; colored 43,091). Total number of deaths from all causes 198 (white 101, colored 97), including tuberculosis 26 (white 11, colored 15). Cases reported: Typhoid fever 10, smallpox 1, measles 348, scarlet fever 7, diphtheria 8.